

**Reference #: 925976**Report Date: 28 Jan 2016

Date Received: 27 Jan 2016

Referring Veterinarian: DR. WILLIAM SCHULTZ SCHULTZ VETERINARY CLINIC 2770 BENNETT ROAD OKEMOS, MI 48864 UNITED STATES

Patient ID: 10996-5823 Radiography Date: 26 Jan 2016

Owner/Responsible Person:

**AYALLA RUVIO** 

	Patient:
Patient Name: FIRE	Species: CANINE
Reg. Name: BLACK PEARL FIRE IN MY HEA	RT Breed: CANE CORSO
Reg. #: WS49270802 Tattoo:	Date of Birth: 23 Jan 2015 Age: 12 mo.
Microchip: 956000004776656	Gender: F Weight: 100 lbs.

RESULTS								
	Distraction Index (DI)	0.45	DI is greater than 0.30 with no radiographic evidence of OA. There is an					
EFT	Osteoarthritis (OA)	None	increasing risk of developing OA as the DI increases; low risk when DI is close to 0.30, high risk when DI is close to 0.70 or above.					
=	Cavitation	No						
	Other Findings	Not Applicable						
RIGHT	Distraction Index (DI)	0.44	DI is greater than 0.30 with no radiographic evidence of OA. There is an					
	Osteoarthritis (OA)	None	increasing risk of developing OA as the DI increases; low risk when DI is close to 0.30, high risk when DI is close to 0.70 or above.					
	Cavitation	No						
	Other Findings	Not Applicable						

Please note that the PennHIP DI is a measure of hip joint laxity, it does not allude to a "passing" or "failing" hip score.

## LAXITY PROFILE RANKING

The laxity profile ranking is based on the hip with the greater laxity (DI). This interpretation is based on a cross-section of 1,685 CANINE animals of the CANE CORSO breed. The median DI for this group is 0.59.

Percentiles										
	90th	80th	70th	60th	50th	40th	30th	20th	10th	
> 90th					Median					< 10th
	<u> </u>									

The chart above indicates the ranking of your animal's passive hip laxity (DI) in relation to all CANINE animals of the CANE CORSO breed in our database. This result means that 1) your animal's hips are tighter than approximately 90% of this group of animals (alternatively, 10% of the group has tighter hips than your animal), and 2) your animal's hip laxity is in the tighter half of the laxity profile. Breed-specific evaluations are analyzed semi-annually. Consequently, the average laxity and range of laxity for any given group will change over time.

PennHIP does not make specific breeding recommendations. Selection of sire and dam for mating is the decision of the breeder.

NOTE: As a minimum breeding criterion, we propose that breeding stock be selected from the population of animals having hip laxity in the tighter half of the breed (to the left of the median mark on the graph). Higher selection pressure equates to more rapid expected genetic change per generation.

By implementing selection based on passive hip laxity, we expect the breed average DI over the years to move toward tighter hip configuration, meaning lower hip dysplasia susceptibility. The PennHIP database permits scientific adjustment of criteria to reflect these shifts; the average laxity and range of laxity for a particular breed will change over time.